

11 發展項目的住宅物業的樓面平面圖

Floor Plans of Residential Properties in the Development

A座1樓平面圖

Block A 1/F Floor Plan



發展項目的住宅物業的樓面平面圖

Floor Plans of Residential Properties in the Development

圖 例 NOTATION

BATH	浴室	Bathroom
ELEC. METER ROOM	電錶房	Electrical Meter Room
HR	消防喉轆	Hose Reel
KIT	廚房	Kitchen
LIV/DIN	客/飯廳	Living / Dining Room
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM ROOM	電訊機房	Telecommunications Room
	簷篷/平台	Canopy / Flat Roof
	罩屋	Dog House

1. 每個住宅物業的層與層之間的高度為2.75米。
2. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於該發展項目)

1. The floor-to-floor height of each residential property is 2.75m.
2. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Not applicable to the Development)

註： 平面圖所列之數字為以毫米標示之建築結構尺寸。

Note: The dimensions on the floor plan are all structural dimensions in millimetre.

發展項目的住宅物業的樓面平面圖
Floor Plans of Residential Properties in the Development

A座2樓至37樓平面圖
Block A 2/F – 37/F Floor Plan




圖 例 NOTATION

BATH	浴室	Bathroom
ELEC. METER ROOM	電錶房	Electrical Meter Room
HR	消防喉轆	Hose Reel
KIT	廚房	Kitchen
LIV/DIN	客/飯廳	Living / Dining Room
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM ROOM	電訊機房	Telecommunications Room

1. 每個住宅物業的層與層之間的高度為2.75米(37樓除外)。37樓每個住宅物業的層與層之間的高度為2.79米。
2. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫米(37樓除外)。37樓每個住宅物業的樓板(不包括灰泥)的厚度為200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於該發展項目)


註： 1. 平面圖所列之數字為以毫米標示之建築結構尺寸。
2. 繫樑只設於4、7、10、13、16、19、22、25、28、31、34及37樓。

1. The floor-to-floor height of each residential property is 2.75m (except 37/F). The floor-to-floor height of each residential property on 37/F is 2.79m.
2. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm (except 37/F). The thickness of the floor slab (excluding plaster) of each residential property on 37/F is 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Not applicable to the Development)

Notes: 1. The dimensions on the floor plan are all structural dimensions in millimetre.
2. Tie Beams at 4/F, 7/F, 10/F, 13/F, 16/F, 19/F, 22/F, 25/F, 28/F, 31/F, 34/F and 37/F only.

發展項目的住宅物業的樓面平面圖
Floor Plans of Residential Properties in the Development

B座1樓平面圖
Block B 1/F Floor Plan



發展項目的住宅物業的樓面平面圖

Floor Plans of Residential Properties in the Development

圖 例 NOTATION

BATH	浴室	Bathroom
ELEC. METER ROOM	電錶房	Electrical Meter Room
HR	消防喉轆	Hose Reel
KIT	廚房	Kitchen
LIV/DIN	客/飯廳	Living / Dining Room
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM ROOM	電訊機房	Telecommunications Room
	簷篷/平台	Canopy / Flat Roof
	罩屋	Dog House

1. 每個住宅物業的層與層之間的高度為2.75米。

2. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫米。

3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於該發展項目)
1. The floor-to-floor height of each residential property is 2.75m.

2. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm.

3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Not applicable to the Development)

註： 平面圖所列之數字為以毫米標示之建築結構尺寸。

Note: The dimensions on the floor plan are all structural dimensions in millimetre.

發展項目的住宅物業的樓面平面圖
Floor Plans of Residential Properties in the Development

B座2樓至37樓平面圖
Block B 2/F – 37/F Floor Plan




圖 例 NOTATION

BATH	浴室	Bathroom
ELEC. METER ROOM	電錶房	Electrical Meter Room
HR	消防喉轆	Hose Reel
KIT	廚房	Kitchen
LIV/DIN	客/飯廳	Living / Dining Room
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM ROOM	電訊機房	Telecommunications Room

1. 每個住宅物業的層與層之間的高度為2.75米(37樓除外)。37樓每個住宅物業的層與層之間的高度為2.79米。
2. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫米(37樓除外)。37樓每個住宅物業的樓板(不包括灰泥)的厚度為200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於該發展項目)

1. The floor-to-floor height of each residential property is 2.75m (except 37/F). The floor-to-floor height of each residential property on 37/F is 2.79m.
2. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm (except 37/F). The thickness of the floor slab (excluding plaster) of each residential property on 37/F is 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Not applicable to the Development)

註： 1. 平面圖所列之數字為以毫米標示之建築結構尺寸。
2. 繫樑只設於4、7、10、13、16、19、22、25、28、31、34及37樓。

Notes: 1. The dimensions on the floor plan are all structural dimensions in millimetre.
2. Tie Beams at 4/F, 7/F, 10/F, 13/F, 16/F, 19/F, 22/F, 25/F, 28/F, 31/F, 34/F and 37/F only.

發展項目的住宅物業的樓面平面圖

Floor Plans of Residential Properties in the Development

圖 例 NOTATION

BATH	浴室	Bathroom
ELEC. METER ROOM	電錶房	Electrical Meter Room
HR	消防喉轆	Hose Reel
KIT	廚房	Kitchen
LIV/DIN	客/飯廳	Living / Dining Room
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM ROOM	電訊機房	Telecommunications Room
	簷篷/平台	Canopy / Flat Roof
	罩屋	Dog House

1. 每個住宅物業的層與層之間的高度為2.75米。

2. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫米。

3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於該發展項目)
1. The floor-to-floor height of each residential property is 2.75m.

2. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm.

3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Not applicable to the Development)

註： 平面圖所列之數字為以毫米標示之建築結構尺寸。

Note: The dimensions on the floor plan are all structural dimensions in millimetre.

發展項目的住宅物業的樓面平面圖 Floor Plans of Residential Properties in the Development

C座2樓至37樓平面圖 Block C 2/F – 37/F Floor Plan



圖 例 NOTATION

BATH	浴室	Bathroom
ELEC. METER ROOM	電錶房	Electrical Meter Room
HR	消防喉轆	Hose Reel
KIT	廚房	Kitchen
LIV/DIN	客/飯廳	Living / Dining Room
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM ROOM	電訊機房	Telecommunications Room

1. 每個住宅物業的層與層之間的高度為2.75米(37樓除外)。37樓每個住宅物業的層與層之間的高度為2.79米。
2. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫米(37樓除外)。37樓每個住宅物業的樓板(不包括灰泥)的厚度為200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於該發展項目)

1. The floor-to-floor height of each residential property is 2.75m (except 37/F). The floor-to-floor height of each residential property on 37/F is 2.79m.
2. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm (except 37/F). The thickness of the floor slab (excluding plaster) of each residential property on 37/F is 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Not applicable to the Development)

註： 1. 平面圖所列之數字為以毫米標示之建築結構尺寸。
2. 繫樑只設於4、7、10、13、16、19、22、25、28、31、34及37樓。

Notes: 1. The dimensions on the floor plan are all structural dimensions in millimetre.
2. Tie Beams at 4/F, 7/F, 10/F, 13/F, 16/F, 19/F, 22/F, 25/F, 28/F, 31/F, 34/F and 37/F only.

發展項目的住宅物業的樓面平面圖
Floor Plans of Residential Properties in the Development

D座1樓平面圖
Block D 1/F Floor Plan



發展項目的住宅物業的樓面平面圖

Floor Plans of Residential Properties in the Development

圖 例 NOTATION

BATH	浴室	Bathroom
ELEC. METER ROOM	電錶房	Electrical Meter Room
HR	消防喉轆	Hose Reel
KIT	廚房	Kitchen
LIV/DIN	客/飯廳	Living / Dining Room
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM ROOM	電訊機房	Telecommunications Room
	簷篷/平台	Canopy / Flat Roof
	罩屋	Dog House

1. 每個住宅物業的層與層之間的高度為2.75米。

2. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫米。

3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於該發展項目)
1. The floor-to-floor height of each residential property is 2.75m.

2. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm.

3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Not applicable to the Development)

註： 平面圖所列之數字為以毫米標示之建築結構尺寸。

Note: The dimensions on the floor plan are all structural dimensions in millimetre.

發展項目的住宅物業的樓面平面圖
Floor Plans of Residential Properties in the Development

D座2樓至36樓平面圖
Block D 2/F – 36/F Floor Plan



圖 例 NOTATION

BATH	浴室	Bathroom
ELEC. METER ROOM	電錶房	Electrical Meter Room
HR	消防喉轆	Hose Reel
KIT	廚房	Kitchen
LIV/DIN	客/飯廳	Living / Dining Room
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM ROOM	電訊機房	Telecommunications Room

1. 每個住宅物業的層與層之間的高度為2.75米(36樓除外)。36樓每個住宅物業的層與層之間的高度為2.79米。
2. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫米(36樓除外)。36樓每個住宅物業的樓板(不包括灰泥)的厚度為200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於該發展項目)

註： 1. 平面圖所列之數字為以毫米標示之建築結構尺寸。

2. 繫樑只設於4、7、10、13、16、19、22、25、28、31、34及36樓。


1. The floor-to-floor height of each residential property is 2.75m (except 36/F). The floor-to-floor height of each residential property on 36/F is 2.79m.
2. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm (except 36/F). The thickness of the floor slab (excluding plaster) of each residential property on 36/F is 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Not applicable to the Development)

Notes: 1. The dimensions on the floor plan are all structural dimensions in millimetre.

2. Tie Beams at 4/F, 7/F, 10/F, 13/F, 16/F, 19/F, 22/F, 25/F, 28/F, 31/F, 34/F and 36/F only.

發展項目的住宅物業的樓面平面圖
Floor Plans of Residential Properties in the Development

E座1樓平面圖
Block E 1/F Floor Plan



比例尺 SCALE: 0 5(米)
(m)

圖 例 NOTATION

BATH	浴室	Bathroom
ELEC. METER ROOM	電錶房	Electrical Meter Room
HR	消防喉轆	Hose Reel
KIT	廚房	Kitchen
LIV/DIN	客/飯廳	Living / Dining Room
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM ROOM	電訊機房	Telecommunications Room
	簷篷/平台	Canopy / Flat Roof
	罩屋	Dog House

1. 每個住宅物業的層與層之間的高度為2.75米。
2. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於該發展項目)

1. The floor-to-floor height of each residential property is 2.75m.
2. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Not applicable to the Development)

註： 平面圖所列之數字為以毫米標示之建築結構尺寸。

Note: The dimensions on the floor plan are all structural dimensions in millimetre.

發展項目的住宅物業的樓面平面圖
Floor Plans of Residential Properties in the Development

E座2樓至36樓平面圖
Block E 2/F – 36/F Floor Plan



比例尺 SCALE: 0 5(米)
(m)

圖 例 NOTATION

BATH	浴室	Bathroom
ELEC. METER ROOM	電錶房	Electrical Meter Room
HR	消防喉轆	Hose Reel
KIT	廚房	Kitchen
LIV/DIN	客/飯廳	Living / Dining Room
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM ROOM	電訊機房	Telecommunications Room

1. 每個住宅物業的層與層之間的高度為2.75米(36樓除外)。36樓每個住宅物業的層與層之間的高度為2.79米。
2. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫米(36樓除外)。36樓每個住宅物業的樓板(不包括灰泥)的厚度為200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於該發展項目)


1. The floor-to-floor height of each residential property is 2.75m (except 36/F). The floor-to-floor height of each residential property on 36/F is 2.79m.
2. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm (except 36/F). The thickness of the floor slab (excluding plaster) of each residential property on 36/F is 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Not applicable to the Development)

註： 1. 平面圖所列之數字為以毫米標示之建築結構尺寸。
2. 繫樑只設於4、7、10、13、16、19、22、25、28、31、34及36樓。

Notes: 1. The dimensions on the floor plan are all structural dimensions in millimetre.
2. Tie Beams at 4/F, 7/F, 10/F, 13/F, 16/F, 19/F, 22/F, 25/F, 28/F, 31/F, 34/F and 36/F only.

發展項目的住宅物業的樓面平面圖
Floor Plans of Residential Properties in the Development

F座1樓平面圖
Block F 1/F Floor Plan



發展項目的住宅物業的樓面平面圖

Floor Plans of Residential Properties in the Development

圖 例 NOTATION

BATH	浴室	Bathroom
ELEC. METER ROOM	電錶房	Electrical Meter Room
HR	消防喉轆	Hose Reel
KIT	廚房	Kitchen
LIV/DIN	客/飯廳	Living / Dining Room
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM ROOM	電訊機房	Telecommunications Room
	簷篷/平台	Canopy / Flat Roof
	罩屋	Dog House

1. 每個住宅物業的層與層之間的高度為2.75米。
2. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於該發展項目)

1. The floor-to-floor height of each residential property is 2.75m.
2. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Not applicable to the Development)

註： 平面圖所列之數字為以毫米標示之建築結構尺寸。

Note: The dimensions on the floor plan are all structural dimensions in millimetre.

發展項目的住宅物業的樓面平面圖
Floor Plans of Residential Properties in the Development

F座2樓至23樓平面圖
Block F 2/F – 23/F Floor Plan



圖 例 NOTATION

BATH	浴室	Bathroom
ELEC. METER ROOM	電錶房	Electrical Meter Room
HR	消防喉轆	Hose Reel
KIT	廚房	Kitchen
LIV/DIN	客/飯廳	Living / Dining Room
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM ROOM	電訊機房	Telecommunications Room

1. 每個住宅物業的層與層之間的高度為2.75米(23樓除外)。23樓每個住宅物業的層與層之間的高度為2.79米。
2. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫米(23樓除外)。23樓每個住宅物業的樓板(不包括灰泥)的厚度為200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於該發展項目)

註： 1. 平面圖所列之數字為以毫米標示之建築結構尺寸。
2. 繫樑只設於4、7、10、13、16、19及22樓。

1. The floor-to-floor height of each residential property is 2.75m (except 23/F). The floor-to-floor height of each residential property on 23/F is 2.79m.
2. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm (except 23/F). The thickness of the floor slab (excluding plaster) of each residential property on 23/F is 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Not applicable to the Development)

Notes: 1. The dimensions on the floor plan are all structural dimensions in millimetre.
2. Tie Beams at 4/F, 7/F, 10/F, 13/F, 16/F, 19/F and 22/F only.

12 發展項目中的住宅物業的面積

Area of Residential Properties in the Development

物業的描述 Description of Residential Property			實用面積(包括露台、工作平台及陽台(如有)) 平方米(平方呎) Saleable Area (including balcony, utility platform and verandah, if any) sq.m. (sq.ft.)	其他指明項目的面積(不計算入實用面積) 平方米(平方呎) Area of other specified items (Not included in the Saleable Area) sq.m. (sq.ft.)									
大廈名稱 Block Name	樓層 Floor	單位 Unit		空調機房 Air-conditioning plant room	窗台 Bay window	閣樓 Cockloft	平台 Flat roof	花園 Garden	停車位 Parking space	天台 Roof	梯屋 Stairhood	前庭 Terrace	庭院 Yard
A座 Block A	1樓 – 37樓 1/F – 37/F	1, 2	27.1 (292) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		3, 8, 14	41.5 (447) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		4, 10	41.6 (448) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		5, 11	35.8 (385) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		6, 12	35.3 (380) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		7, 13	34.9 (376) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		9	35.7 (384) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–

上述每個住宅物業的實用面積是按照《一手住宅物業銷售條例》第8條計算得出。

The saleable area of each residential property listed above is calculated in accordance with Section 8 of the Residential Properties (First-hand Sales) Ordinance.

註： 上述以平方呎列明之面積是以1平方米=10.764平方呎換算，並四捨五入至整數平方呎。

Note: The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot.

發展項目中的住宅物業的面積

Area of Residential Properties in the Development

物業的描述 Description of Residential Property			實用面積(包括露台、工作平台及陽台(如有)) 平方米(平方呎) Saleable Area (including balcony, utility platform and verandah, if any) sq.m. (sq.ft.)	其他指明項目的面積(不計算入實用面積) 平方米(平方呎) Area of other specified items (Not included in the Saleable Area) sq.m. (sq.ft.)									
大廈名稱 Block Name	樓層 Floor	單位 Unit		空調機房 Air-conditioning plant room	窗台 Bay window	閣樓 Cockloft	平台 Flat roof	花園 Garden	停車位 Parking space	天台 Roof	梯屋 Stairhood	前庭 Terrace	庭院 Yard
B座 Block B	1樓 – 37樓 1/F – 37/F	1, 2	27.1 (292) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		3	26.7 (287) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		4, 5	41.9 (451) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		6, 7	27.0 (291) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		8	35.1 (378) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		9	25.9 (279) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		10	41.7 (449) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–

上述每個住宅物業的實用面積是按照《一手住宅物業銷售條例》第8條計算得出。

The saleable area of each residential property listed above is calculated in accordance with Section 8 of the Residential Properties (First-hand Sales) Ordinance.

註： 上述以平方呎列明之面積是以1平方米=10.764平方呎換算，並四捨五入至整數平方呎。

Note: The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot.

發展項目中的住宅物業的面積

Area of Residential Properties in the Development

物業的描述 Description of Residential Property			實用面積(包括露台、工作平台及陽台(如有)) 平方米(平方呎) Saleable Area (including balcony, utility platform and verandah, if any) sq.m. (sq.ft.)	其他指明項目的面積(不計算入實用面積) 平方米(平方呎) Area of other specified items (Not included in the Saleable Area) sq.m. (sq.ft.)									
大廈名稱 Block Name	樓層 Floor	單位 Unit		空調機房 Air-conditioning plant room	窗台 Bay window	閣樓 Cockloft	平台 Flat roof	花園 Garden	停車位 Parking space	天台 Roof	梯屋 Stairhood	前庭 Terrace	庭院 Yard
B座 Block B	1樓 – 37樓 1/F – 37/F	11	35.7 (384) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		12	41.6 (448) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		13	35.8 (385) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		14	35.3 (380) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		15	34.9 (376) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		16	41.5 (447) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–

上述每個住宅物業的實用面積是按照《一手住宅物業銷售條例》第8條計算得出。

The saleable area of each residential property listed above is calculated in accordance with Section 8 of the Residential Properties (First-hand Sales) Ordinance.

註： 上述以平方呎列明之面積是以1平方米=10.764平方呎換算，並四捨五入至整數平方呎。

Note: The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot.

發展項目中的住宅物業的面積

Area of Residential Properties in the Development

物業的描述 Description of Residential Property			實用面積(包括露台、工作平台及陽台(如有)) 平方米(平方呎) Saleable Area (including balcony, utility platform and verandah, if any) sq.m. (sq.ft.)	其他指明項目的面積(不計算入實用面積) 平方米(平方呎) Area of other specified items (Not included in the Saleable Area) sq.m. (sq.ft.)									
大廈名稱 Block Name	樓層 Floor	單位 Unit		空調機房 Air-conditioning plant room	窗台 Bay window	閣樓 Cockloft	平台 Flat roof	花園 Garden	停車位 Parking space	天台 Roof	梯屋 Stairhood	前庭 Terrace	庭院 Yard
C座 Block C	1樓 – 37樓 1/F – 37/F	1, 2, 3, 4	26.7 (287) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		5, 10, 16	41.5 (447) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		6, 12	41.6 (448) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		7, 13	35.8 (385) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		8, 14	35.3 (380) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		9, 15	34.9 (376) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		11	35.7 (384) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–

上述每個住宅物業的實用面積是按照《一手住宅物業銷售條例》第8條計算得出。

The saleable area of each residential property listed above is calculated in accordance with Section 8 of the Residential Properties (First-hand Sales) Ordinance.

註： 上述以平方呎列明之面積是以1平方米=10.764平方呎換算，並四捨五入至整數平方呎。

Note: The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot.

發展項目中的住宅物業的面積

Area of Residential Properties in the Development

物業的描述 Description of Residential Property			實用面積(包括露台、工作平台及陽台(如有)) 平方米(平方呎) Saleable Area (including balcony, utility platform and verandah, if any) sq.m. (sq.ft.)	其他指明項目的面積(不計算入實用面積) 平方米(平方呎) Area of other specified items (Not included in the Saleable Area) sq.m. (sq.ft.)									
大廈名稱 Block Name	樓層 Floor	單位 Unit		空調機房 Air-conditioning plant room	窗台 Bay window	閣樓 Cockloft	平台 Flat roof	花園 Garden	停車位 Parking space	天台 Roof	梯屋 Stairhood	前庭 Terrace	庭院 Yard
D座 Block D	1樓 – 36樓 1/F – 36/F	1, 4	26.7 (287) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		2, 3	25.8 (278) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		5, 10, 16	41.5 (447) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		6, 12	41.6 (448) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		7, 13	35.8 (385) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		8, 14	35.3 (380) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		9, 15	34.9 (376) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		11	35.7 (384) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–

上述每個住宅物業的實用面積是按照《一手住宅物業銷售條例》第8條計算得出。

The saleable area of each residential property listed above is calculated in accordance with Section 8 of the Residential Properties (First-hand Sales) Ordinance.

註： 上述以平方呎列明之面積是以1平方米=10.764平方呎換算，並四捨五入至整數平方呎。

Note: The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot.

發展項目中的住宅物業的面積

Area of Residential Properties in the Development

物業的描述 Description of Residential Property			實用面積(包括露台、工作平台及陽台(如有)) 平方米(平方呎) Saleable Area (including balcony, utility platform and verandah, if any) sq.m. (sq.ft.)	其他指明項目的面積(不計算入實用面積) 平方米(平方呎) Area of other specified items (Not included in the Saleable Area) sq.m. (sq.ft.)									
大廈名稱 Block Name	樓層 Floor	單位 Unit		空調機房 Air-conditioning plant room	窗台 Bay window	閣樓 Cockloft	平台 Flat roof	花園 Garden	停車位 Parking space	天台 Roof	梯屋 Stairhood	前庭 Terrace	庭院 Yard
E座 Block E	1樓 – 36樓 1/F – 36/F	1, 7, 12	41.5 (447) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		2, 8	34.9 (376) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		3, 9	35.3 (380) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		4, 10	35.8 (385) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		5, 11	41.6 (448) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		6	35.7 (384) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		13, 16	26.7 (287) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		14, 15	25.8 (278) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–

上述每個住宅物業的實用面積是按照《一手住宅物業銷售條例》第8條計算得出。

The saleable area of each residential property listed above is calculated in accordance with Section 8 of the Residential Properties (First-hand Sales) Ordinance.

註： 上述以平方呎列明之面積是以1平方米=10.764平方呎換算，並四捨五入至整數平方呎。

Note: The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot.

發展項目中的住宅物業的面積

Area of Residential Properties in the Development

物業的描述 Description of Residential Property			實用面積(包括露台、工作平台及陽台(如有)) 平方米(平方呎) Saleable Area (including balcony, utility platform and verandah, if any) sq.m. (sq.ft.)	其他指明項目的面積(不計算入實用面積) 平方米(平方呎) Area of other specified items (Not included in the Saleable Area) sq.m. (sq.ft.)									
大廈名稱 Block Name	樓層 Floor	單位 Unit		空調機房 Air-conditioning plant room	窗台 Bay window	閣樓 Cockloft	平台 Flat roof	花園 Garden	停車位 Parking space	天台 Roof	梯屋 Stairhood	前庭 Terrace	庭院 Yard
F座 Block F	1樓 – 23樓 1/F – 23/F	1	35.7 (384) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		2, 12	41.6 (448) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		3, 13	35.8 (385) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		4, 14	35.3 (380) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		5, 15	34.9 (376) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		6, 11, 16	41.5 (447) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–
		7, 8, 9, 10	26.3 (283) 露台 Balcony: – 工作平台 Utility Platform: – 陽台 Verandah: –	–	–	–	–	–	–	–	–	–	–

上述每個住宅物業的實用面積是按照《一手住宅物業銷售條例》第8條計算得出。

The saleable area of each residential property listed above is calculated in accordance with Section 8 of the Residential Properties (First-hand Sales) Ordinance.

註： 上述以平方呎列明之面積是以1平方米=10.764平方呎換算，並四捨五入至整數平方呎。

Note: The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot.