



北角街坊服務中心 North Point Welfare Association

- 啟基學校(港島) Chan's Creative School (Hong Kong Island)

### 馬寶道電話機房

Marble Road Telephone Exchange

### 健康西街

HEALTHY STREET WEST

#### 繼園臺

KAI YUEN TERRACE

### ─百福道 PAK FUK ROAD

此位置圖是參考地政總署測繪處於2024年6月20日出版之數碼地形圖 (編號為T11-SE-A) 製作,有需要處經修正處理。

PAK FUK ROAD 地圖由空間數據共享平台入門網站提供,香港特別行政區政府為知識產權擁有人。

The Location Plan is prepared with reference to the Digital Topographic Map No. T11-SE-A dated 20 June 2024 from Survey and Mapping Office of the Lands Department, with adjustments where necessary.


The map is provided by the Common Spatial Data Infrastructure Portal and intellectual property rights are owned by the Government of the HKSAR.

註:賣方建議買方到該發展項目作實地考察,以對該發展項目、其周邊地區環境及附近的公共設施有較佳的了解。

Note: The Vendor advises purchasers to conduct on-site visit for a better understanding of the Development, its surrounding environment and the public facilities nearby.



### 渣華道 Java Road



### 圖例 NOTATION

停車位類別 Category of Parking Space 數目 Number 發展項目於地下設有13個有蓋汽車停車位、1個有蓋暢通易達汽車停 ━ \* \* 地界 地下垃圾及物料回收房及廢物收集站 地下有蓋上落客貨停車位 車位及3個有蓋電單車停車位。 Covered Loading and Unloading Bay Lot Boundary Refuse Storage and Material Recovery Chamber and There are 13 numbers of covered Car Parking Space, 1 number of on Ground Floor Junk Collection Point on Ground Floor 3樓-33樓單位室號 covered Accessible Car Parking Space and 3 numbers of covered (1) 平台2層有蓋園景及遊樂區 地下有蓋垃圾車專用車位 Motorcycle Parking Space provided at Ground Floor of the Flat Number on 3/F to 33/F Covered Landscaped and Play Area on Second Podium Covered Space for Loading and Development. Unloading Space Reserved for Ρ 花槽 Refuse Collection Vehicle on Planter Ground Floor

Marble Road

車輛出入口

Vehicular Entrance

## 標準樓層平面圖(4樓至33樓)

Typical Floor Plan (4/F-33/F)

# N

### 圖例 NOTATION

BATH	浴室	Bathroom
KIT	廚房	Kitchen
HR	消防喉轆	Hose Reel
LIV/DIN	客/飯廳	Living/Dining Room
P.D.	管道槽	Pipe Duct
RS & MRR	垃圾及物料回收室	Refuse Storage and Material Recovery Room
W.M.C.	水錶櫃	Water Meter Cupboard
TELECOM AND ELV ROOM	電訊及特低壓機房	Telecommunications and Extra Low Voltage Room
ELEC. METER ROOM	電錶房	Electrical Meter Room
P.R.V.	減壓掣	Pressure Reducing Valve
	減音窗	Acoustic Window
	固定窗	Fixed Window

### 註:

- 1. 平面圖所列之數字為以毫米標示之建築結構尺寸。
- 2. 每個住宅物業的層與層之間的高度為2.750米(33樓除外)。 33樓每個住宅物業的層與層之間的高度為2.790米(8號單位除

33樓8號單位的層與層之間的高度為2.790米及2.970米。

3. 每個住宅物業的樓板(不包括灰泥)的厚度為160毫米及215毫 米(33樓除外)。

33樓每個住宅物業的樓板(不包括灰泥)的厚度為200毫米(8號 單位除外)。

33樓8號單位住宅物業的樓板(不包括灰泥)的厚度為200毫米 及380毫米。

- 4. 大廈設有2部升降機。每個住宅樓層均有2部升降機到達。
- 5. 為減低道路交通噪音的影響,部分單位設有減音窗。

### Notes:

- 1. The dimensions on the floor plan are all structural dimensions in
- 2. The floor-to-floor height of each residential property is 2.750m (except 33/F).

The floor-to-floor height of each residential property on 33/F is 2.790m (except Flat 8).

The floor-to-floor height of Flat 8 on 33/F are 2.790m and

3. The thicknesses of the floor slabs (excluding plaster) of each residential property are 160mm and 215mm (except 33/F).

The thicknesses of the floor slabs (excluding plaster) of each residential property on 33/F are 200mm (except Flat 8).

- The thicknesses of the floor slabs (excluding plaster) of Flat 8 on 33/F are 200mm and 380mm. 4. There are 2 lifts in the building. Each residential floor is served by
- 5. In order to mitigate the impact of road traffic noise, acoustic windows are provided for some flats.



210 2000 250 1125 100 1125 250

5 (米) 比例尺 SCALE: \_\_\_\_\_\_ (m)

1675 200 1190 1045 270 325